





- NOTES:
- 01. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 02. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 03. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 04. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 05. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 06. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 07. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 08. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 09. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 10. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 11. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 12. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 13. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 14. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 15. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 16. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 17. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 18. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 19. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.
 - 20. EXISTING PORCHES: FLOORS TO BE REMOVED. REPAIR ANY DAMAGED EXISTING CONCRETE.



EXISTING FIRST FLOOR PLAN


SCALE: 1/4" = 1'-0"



EXISTING SECOND FLOOR PLAN


SCALE: 1/4" = 1'-0"

NOTE: EX. PLASTER CEILINGS SHALL BE REMOVED.







EXISTING BASEMENT PLAN

SCALE: 1/4" = 1'-0"






EXISTING ATTIC FLOOR PLAN

SCALE: 1/4" = 1'-0"










- LEGEND**
-  NEW WALL
 -  NEW BRICK
 -  NEW 1 HR. WALL
 -  FIRE EXTINGUISHER

NEW ADDITION STAIRS:
 15 R @ 7 11/16"
 14 T @ 10"
 PROFILE OF LEADING EDGE SHALL NOT EXCEED 1/2". A HANDRAIL SHALL BE PROVIDED ON A MIN. OF ONE SIDE. HANDRAIL SHALL BE 36" ABOVE LEADING EDGE OF THE TREAD, SHALL BE CONTINUOUS, & ENDS SHALL RETURN TO THE WALL OR TO POST. A MIN. 1 1/2" SPACE SHALL BE MAINTAINED BETWEEN THE HANDRAIL & ADJACENT WALL. HANDRAIL SHALL BE 1 1/2".





NOTE:
 01. ALL NEW WINDOWS SHALL BE PELLA WINDOWS, SIZES & STYLES TO MATCH EXISTING LIKE WINDOWS. WINDOWS SHALL BE EXTERIOR, ALUMINUM CLAD, WHITE, INTERIOR, WOOD. DOUBLED PANE, LOW E. MULLIONS BETWEEN PANES. MULLIONS SHALL MATCH EXISTING.



BUILDING



- NOTES:**
- EXISTING PORTALS: REMOVE. REPAIR ANY DAMAGED STRUCTURAL SUPPORTS.
 - INSTALL NEW ASER FLOORING, SLATE GRAY.
 - PORCH SOFFITS SHALL RECEIVE VINYL BEADBOARD SOFFIT. RAILS & BAULSTERS SHALL BE RETAINED & REPAIRED AS NEEDED. REPAINT WHITE.
 - ALL NEW & EXISTING WINDOWS SHALL BE NEW PELLA WINDOWS. INTERIOR, WOOD, DOUBLED PANEL, LOW E, MULLIONS BETWEEN PANELES, SIZES & MULLIONS SHALL MATCH EXISTING OR EXTERIOR. DO NOT REMOVE EXISTING WINDOWS UNLESS MATCH EXISTING. EXISTING SHINGLED ROOF TO BE REMOVED TO ROOF SHEATHING. REPLACE EXISTING SHEATHING THAT IS DAMAGED. INSTALL NEW SHINGLES, COLORING SLATE.
 - ALL NEW & EXISTING SOFFIT SHALL BE NEW PRE-ENGINEERED WOOD. OR VINYL. ALL-VENT SOFFIT WHITE.
 - ALL NEW & EXISTING WOOD SHAKES AND OCTAGONAL FISH SCALES PRE-ENGINEERED WOOD. TO MATCH EXISTING SIZING AND STYLE. WHITE.
 - ALL NEW & EXISTING WOOD SHAKES AND OCTAGONAL FISH SCALES EXISTING. AUTUMN RED.



- ADA COMPLIANCE STANDARDS:**
- OPERABLE PARTS:**
- LIGHTING CONTROLS, ELECTRICAL RECEPTACLES, ENVIRONMENTAL CONTROLS, AND USER CONTROLLED FOR SECURITY OR INTERCOM SYSTEMS, EXCEPT FOR THE FOLLOWING EXCEPTIONS:
- ELECTRICAL RECEPTACLES SERVING A DEDICATED USE.
 - APPLIANCE MOUNTED CONTROLS OR SWITCHES.
 - FASTENED OUTLET WHERE ALL OF THE FOLLOWING CONDITIONS ARE NOT MET:
 - THE OUTLET IS ABOVE A LENGTH OF COUNTERTOP THAT IS UNINTERRUPTED BY A SINK OR APPLIANCE; AND
 - AT LEAST ONE RECEPTACLE IS PROVIDED FOR THE ENTIRE LENGTH OF COUNTERTOP, AND
 - THE LENGTH OF COUNTERTOP COMPLY.
 - FLOOR ELECTRICAL RECEPTACLES.
 - PLUMBING FIXTURE CONTROLS.
 - PLUMBING DIFFUSERS.
 - CEILING FAN MOUNTED CONTROLS.

LEGEND

[Pattern]	NEW WALL
[Pattern]	NEW BRICK
[Pattern]	NEW 1 HR. WALL
[Symbol]	FIRE EXTINGUISHER